

RS Classic Screens

SOLAR-SHIELD
 exterior shading solutions



The RS Classic screen system is distinguished by a box with side guide rails, integrated with a PVC or fiberglass fabric, which is durable and resistant to weather conditions such as gusty wind, hail or rain.

Additionally, thanks to the properties of the fabrics, they guarantee optical comfort inside the building.

We offer a wide range of shapes and colours of boxes and guide rails, as well as a wide range of fabric colours to optimally adapt to the building facade.



03302 020 701




info@solar-shield.co.uk


RS Classic Screens



RS Classic 85 - 45°




RS Classic 85 - square




RS Classic 85 - IO motors only

Eolis IO sensor wire free wind sensor (option)


End slat



RS Classic 95 - 45°





RS Classic 95 - square




RS Classic 95 - IO motors only

Eolis IO sensor wire free wind sensor (option)

Guide rails



End slat



Profile colours





03302 020 701



info@solar-shield.co.uk



RS Classic Screens




	Maximum width (cm)	height (cm)	area (m ²)
RS Classic 105	450	350	14,0

RS Classic 105 - IO motors or Crank control
 Eolis IO sensor wire free wind sensor (option)


Guide rails



Profile colours




End slat



RS Classic Screens

SOLAR-SHIELD
exterior shading solutions

POSSIBLE OPERATIONAL EXIT OPTIONS



Looking from the outside with standard box installation the operational exit is:

A - left bottom (back),

B - right bottom (back),

C - left on the slated part of the box (front),

D - right on the slated part of the box (front),

E - left top (front),

F - right top (front),

G - left bottom (front),

H - right bottom (front),

I - left top (back),

J - right top (back),

K - left through the rail guide,

T - right through the rail guide,

M - left front (top),

N - right front (top),

O - left back (top),

P - right back (top),

W - left cover,

Z - right cover,



somfy



03302 020 701



info@solar-shield.co.uk